

# **SLIT LAMP BI 900** Simplified operation – high reliability



#### **ESSENTIAL FUNCTIONALITY**

## BI 900 Simplified operation – high reliability

Equipped with an improved version of the BM 900 microscope, an enhanced illumination system and the traditional high-precision mechanics, the BI 900 is the predestined successor to the legendary BM 900. With this new slit lamp, Haag-Streit combines simplicity and reliability in a modern system which offers integrated digital imaging as an option.





LED ILLUMINATION DELIVERS OUR SHARPEST AND MOST HOMOGENEOUS SLIT EVER

Illumination system

INTERFACE FOR PROFESSIONAL CAMERA

Imaging set

FIXED OR OPTIONALLY PIVOTING BACKGROUND MODELLING ILLUMINATION

Background illumination

FULL CONTROL OVER ILLUMINATION AND CAMERA

Control panel



MICROSCOPE

#### **Essential functionality**

The BI 900 is equipped with a Kepler microscope providing the default magnifications  $10\times$  and  $16\times$ . With a set of optional oculars it can be extended to  $25\times$  and  $40\times$  magnification. A yellow barrier filter provides additional contrast for fluorescein applications. The maximised diameter size of the ocular view ensures fatigue-free examination even on long working days.



### Compact imaging solution

The optional Imaging Set provides a fully integrated compact imaging solution for the BI 900. It has been designed to simplify the image capturing process. A fast and accurate automatic exposure control and the established History Trigger function allow simple image capturing while you are concentrating on your patient. The included EyeSuite software package contains a comprehensive imaging program and permits integration of the BI 900 into your practice network.



#### Ideal workflow - no distraction

Located in front of the joystick, the control panel can be operated blindly while examining the patient. It provides not only full control over the slit lamp illumination, but also a release bar for the camera, as well as simple and ergonomic management of the camera settings.








# Technical specifications **Slit lamp BI 900**

Illumination	Light-source	LED (slit and background illumination)
	Slit width	0–14mm continuous
	Slit length	1 – 14 mm continuous and fix apertures
	Filters	Blue, red-free (green), grey (10%)
Microscope	Magnification	10×, 16× (with eyepiece 25×: 25×, 40×)
	Filter	Yellow
	Stereo angle	13° (convergent optics)
Instrument base	Operation	Single handed 3-dimensional operation with the control lever
	Adjustment of the instrument base	100 mm (length), 100 mm (side), 30 mm (height)
Software	EyeSuite Imaging	Patient Manager, Capture Module, Image Viewer
	EMR Interfaces	EyeSuite Script Language, DICOM (SCU), GDT
Optional Accessories	Imaging Set	
	Goldmann Applanation Tonometer	
	Ocular for 25× and 40× magnification	
	Ocular with reticule for distance estim	nation
	Ocular with double crosshair reticule	



**HAAG-STREIT AG** 

Gartenstadtstrasse 10 3098 Koeniz Switzerland Phone +41 31 978 01 11 Fax +41 31 978 02 82 info@haag-streit.com www.haag-streit.com

#### **Members of HAAG-STREIT Group**

HAAG-STREIT Holding AG www.haag-streit-holding.com

HAAG-STREIT AG, Diagnostics www.haag-streit.com

HAAG-STREIT AG, Verkauf Schweiz www.haag-streit.ch

HAAG-STREIT Deutschland GmbH www.haag-streit.de

HAAG-STREIT Far East www.haag-streit-fareast.com

HAAG-STREIT Medtech AG www.haag-streit-medtech.com

HAAG-STREIT Surgical GmbH www.haag-streit-surgical.com

HAAG-STREIT UK www.haag-streit-uk.com

HAAG-STREIT USA www.haag-streit-usa.com

CLEMENT CLARKE Ltd. www.clement-clarke.com

HS DOMS GmbH www.hs-doms.com

IPRO GmbH www.ipro.de

John Weiss Ltd. www.johnweiss.com

Möller-Wedel GmbH & Co KG www.haag-streit-surgical.com

Möller-Wedel Optical GmbH www.moeller-wedel-optical.com

OptoMedical Technologies GmbH www.haag-streit-surgical.com

Reliance Medical Inc. www.haag-streit-usa.com

SPECTROS AG www.spectros.ch

