

INTRODUCING

SOLIX

FULLRANGE™ OCT

DISCOVER
WHAT'S NEXT



Important advancements have increased the power of eye care specialists to identify and manage changes in ocular pathology earlier than ever before. While increasing the capabilities of providers, these technologies have traditionally required multiple imaging modalities. Until now.

Introducing SOLIX FullRange™ OCT.

Created by Optovue, the company that brought you OCTA and the acknowledged leader in OCT innovation, SOLIX is new technology built upon a proven foundation of high-speed Spectral Domain OCT. This FullRange platform empowers practitioners to identify and manage numerous pathologies from the front of the eye to the back for a vastly superior diagnostic experience.

INTRODUCING SOLIX

SOLIX features ultra-high-speed scanning for a FullRange field of view that is wide and deep yet does not sacrifice image clarity and resolution.

SOLIX delivers multiple tools for a new generation of disease management that improves throughput and enables superior patient care:

- FullRange anterior segment imaging to capture the entire anterior chamber in a single scan
- External IR imaging to enable evaluation of Meibomian glands of the upper and lower lids without a dedicated imaging device
- Proven glaucoma analytics that combine structural and vascular images and measurements
- FullRange retinal imaging that allows wide and deep imaging of the retina, choroid and vitreous...even in highly myopic patients
- Optovue's industry-leading AngioVue® OCT Angiography (OCTA) for non-invasive 3D visualization and quantification of retinal vasculature*
- Fundus and external color photography
- Wellness capabilities that have become part of a new standard of care for patients suspected of both retinal pathologies and glaucoma

A long-time leader in technology that has innovated OCT to where it is today, Optovue is taking OCT beyond the status quo with new capabilities, new visualizations and new applications that create boundless possibilities for practices of all types and sizes.

*Optional feature

Optovue extends sincere appreciation to Adil El Maftouhi OD (Centre Rabelais, Lyon, France) for the use of his images throughout this brochure. Unless noted, all images are courtesy of Adil El Maftouhi.



ANTERIOR SEGMENT

SOLIX FullRange anterior imaging provides stunning views of the entire anterior chamber from the front surface of the cornea to the anterior surface of the lens. A comprehensive anterior segment package expands the clinical utility of the system to address a broad range of patients.

FULLRANGE ANTERIOR SEGMENT

Image the entire anterior chamber with the FullRange 18x6.25mm scan and use the caliper tools to measure ocular structures.






Image courtesy of Julie Rodman, OD, MS, FAAO, Ft. Lauderdale, USA

Refractive




Visualize and measure placement of implantable contact lenses.

Cataract




Shift the scan depth to evaluate opacities and measure the size of the lens prior to cataract surgery.

CORNEAL AND EPITHELIAL THICKNESS MAPPING



10mm Corneal Layer Map

Quantify epithelial, stromal and total corneal thickness with the 10mm Corneal Layer Map, which features 16 meridians to fully cover the LRS transition zone. Use the Highlight Tool to further appreciate subtle changes in thickness. The Change Analysis report measures changes in thickness between visits.




EXTERNAL IR IMAGING

Evaluate Meibomian gland structure of the upper and lower lids.


Dry Eye

Add new information to the diagnosis and management of dry eye patients.



Keratoconus

Measure epithelial, stromal and total corneal thickness to aid in disease diagnosis. Pachymetric measurements may be compared to the Coollabs Keratoconus Risk Scoring System to further enhance diagnostic accuracy.




Coollabs Keratoconus Risk Scoring System:
(<http://www.coollab.net/resources>)


The SOLIX glaucoma package delivers in-depth analysis of the optic nerve head structure and vasculature. Optovue-exclusive data points bring additional insights that aid in clinical decision making.

A single scan protocol with Motion Correction Technology (MCT) generates both OCT and OCTA images with AngioAnalytics® metrics to optimize efficiency and help you quickly understand each patient's rate of change.

OPTIC DISC ANALYSIS




ANTERIOR CHAMBER ANALYSIS



FullRange Anterior Chamber Scan


Visualize and measure anterior chamber structures in angle closure glaucoma, pupil block glaucoma and glaucoma shunt placement with a single scan.

TREND ANALYSIS



ONH + GCC Trend Analysis Report

Track change and estimate the rate of change in both GCC and RNFL thickness with unparalleled reproducibility to easily assess how quickly a patient's disease is progressing.



AngioDisc Trend Analysis Report

Measure the vessel density of the RPCs, assess visit-to-visit change and estimate rate of change in glaucoma patients and suspects. Vessel density analysis complements RNFL and GCC analysis and aids in the management of advanced glaucoma – especially in cases where neural structural measurements have reached the measurement floor.

Focal Loss Volume & Global Loss Volume

Optovue's exclusive Focal Loss Volume (FLV%) and Global Loss Volume (GLV%) provide valuable data points to aid in the prediction of visual field conversion in glaucoma suspects¹ and progression in glaucoma patients².

1. Zhang X, Loewen N, Tan O, Greenfield D, Schuman J, Varma R, Huang D. Predicting Development of Glaucomatous Visual Field Conversion Using Baseline Fourier-Domain Optical Coherence Tomography. Am J Ophthalmol. 2016 Mar; 163:29-37.

2. Zhang X, Dastiridou A, Francis BA, et al. Comparison of glaucoma progression detection by optical coherence tomography and visual field. Am J Ophthalmol. 2017; 184: 63– 74.

SOLIX delivers pristine images of retinal structures with unprecedented views of the vitreous and choroid, enabling confident diagnosis and management of retinal pathologies – even in highly myopic patients.

A single scan protocol with MCT generates all necessary images and data for comprehensive retinal analysis, which optimizes efficiency and quickly provides the clinical data your practice demands.

EN FACE OCT




DualMontage

Combine two 9x9 scans for a seamless view of the posterior pole.


Image courtesy of Alexandra Miere MD, Creteil University Hospital, France

FULLRANGE RETINA

6.25mm depth




16mm width




Expand diagnostic capabilities with an ultra-fast, deep, and wide line scan.

ANGIOVUE OCTA




QuadMontage

AngioVue QuadMontage combines four 9x9mm scans for widefield visualization of the peripheral retina.



3D OCTA


Optovue's exclusive 3D OCTA rendering enables real-life visualization of retinal vasculature and vascular connectivity.



AngioAnalytics™ OCTA Metrics


Vessel Density Mapping, FAZ Analysis, Flow Area Measurements

Select Area (mm²): 1.352
Flow Area (mm²): 0.680




THICKNESS MAPS

Measure retinal thickness and GCC thickness maps and compare to a reference database.







FUNDUS PHOTOGRAPHY

View retinal photos in color, grayscale and inverse modes.





Macular Telangiectasia with Type 3 Neovascularization

- Fundus Photo
- En Face OCT of the Outer Retina 6.4x6.4mm
- AngioVue OCTA of the Outer Retina with Flow Area Measurements
- AngioVue 3D OCTA



Diabetic Retinopathy




- AngioVue OCTA of the Superficial Retina 9x9mm
- Retinal Thickness Map 9x9mm
- Raster Scan



Posterior Vitreous Detachment with Epiretinal Membrane



- FullRange Retina Scan

Images courtesy of Explore Vision Clinic, Paris, France






Type 1 Choroidal Neovascularization

- AngioVue 3D OCTA
- AngioVue OCTA of the Outer Retina 9x9mm
- En Face OCT of the Outer Retina 9x9mm



Vein Occlusion

- AngioVue OCTA of the Superficial Retina 12x12mm
- En Face OCT of the Superficial Retina 12x12mm



Geographic Atrophy


- AngioVue OCTA of the Superficial Retina 9x9mm
- En Face OCT of the Superficial Retina 9x9mm
- Fundus Photo

SOLIX REPORTS


ANTERIOR SEGMENT

GLAUCOMA


RETINA REPORTS




Cornea Layer Map: Single Eye, OU and Change Analysis Reports



Disc Combo Report



FullRange AC: Single Eye and OU Reports




AngioVue Disc QuickVue




External Photography


Image courtesy of Julie Rodman, OD, MS, FAAO, Ft. Lauderdale, USA




AngioVue Disc OU Trend Analysis and Multi-Visit View




Raster




Radial




FullRange Retina Report



Fundus Photo



Retina Cube QuickVue and AngioVue Retina QuickVue




AngioVue Retina Trend Analysis and Multi-Visit View

WELLNESS

SOLIX WELLNESS

The SOLIX wellness protocol is a valuable assessment tool that can reveal the need for more extensive imaging and streamline the exam process by quickly confirming normal or aiding in more efficient diagnosis of pathology. In addition, wellness programs improve patient involvement and retention for practice differentiation and growth.



OCT Wellness

OCT wellness generates a single, comprehensive report to promote better overall eye health. The report includes a 12x9mm structural scan that optimizes metrics on retinal thickness and ganglion cell thickness to the superior/inferior arches. High-resolution B-scans provide excellent visualization of retinal structures.



SPECIFICATIONS

The Solix platform is available in two configurations that are easily upgradeable, so your OCT system meets the needs of your practice today and into the future.

SOLIX CONFIGURATIONS

| | |
|--|---|
| Solix FullRange OCT with AngioVue Essential | Posterior and Anterior OCT Imaging with OCTA Lite |
| Solix FullRange OCT with AngioVue Expert | Posterior and Anterior OCT Imaging with Fully-Featured OCTA |

SOLIX TECHNICAL SPECIFICATIONS

OCT Imaging | Retina

| | |
|-----------------------|--|
| Scan Speed | 120,000 |
| Axial Resolution | 5µm (in tissue) |
| Lateral Resolution | 15µm (in tissue) |
| Transverse Resolution | 15µm (in tissue) |
| Scan Depth | Up to 3 mm (regular mode) Up to 6.25mm (FullRange mode) |
| Scan Width | 3mm – 16mm |
| Dioptric Range | -15D to +15D |
| Pupil Size | ≥ 2.0 mm |

OCTA Imaging

| | |
|-------------------|-------------------------------------|
| Retina Scan Sizes | 3x3mm, 6.4x6.4mm, 9x9mm and 12x12mm |
| Disc Scan Size | 6x6mm |
| AngioVue Montage | Two 9x9mm scans, four 9x9mm scans |

OCT Imaging | Anterior Segment

| | |
|--------------------|--|
| Lateral Resolution | 18µm (Regular CAM) (in tissue) 36µm (FullRange CAM) (in tissue) |
| Scan Depth | Up to 3 mm (regular lens) Up to 6.25mm (FullRange lens) |
| Scan Length | 2mm - 18mm |

Fundus Photography

| | |
|----------------|---------------------------------------|
| Resolution | 5MP |
| Scan Mode | Color, red-free* |
| Field of View | 45° and 35° (small pupil mode) |
| Dioptric Range | -35D to +30D |
| Pupil Size | ≥ 4.0 mm; ≥ 3.3 mm (small pupil mode) |

External Photography

| | |
|-------------------------------|---------------------------|
| External Photograph | Color (white light flash) |
| External Infra-Red (IR) Image | IR (940nm illumination) |

Electrical and Physical Specifications

| | |
|-----------------------|---|
| Weight | 95 kg (210 lbs) |
| Instrument Dimensions | 1072mm X 600mm x 610mm (W 39.4 x D 31.5 x H 59 inches) |
| Table Dimensions | 952mm x 600mm x 913mm (W 36.2 x D 23.6 x H 35.9 inches) |
| Fixation | External and 13-point internal |
| Electrical Rating | AC 100V~240V |

Computer/Networking Specifications

| | |
|------------------|---|
| Operating System | Windows 10 |
| CPU | Intel Core i7-8700 processor or above |
| RAM | 32GB DDR4 or more |
| Hard Drive | Solid state drive 256GB for operating system Main drive 4TB Back-up drive 4TB |
| DICOM | DICOM MWL, DICOM storage |
| Networking | NetVue Pro Review Software - Up to 10 Workstations |

*Color image is processed and then displayed as a pseudo red-free image.

SOLIX TECHNOLOGY

SOLIX IS POWERED BY A FULLRANGE OF EXCLUSIVE TECHNOLOGIES:

- Ultra-fast spectral-domain technology produces a wide and deep field of view that does not compromise image resolution
- Multi-volume merge averages four scan volumes to deliver high-density images with pristine clarity
- 3D vessel rendering enables real-life visualization of retinal vasculature and vascular connectivity
- 3D PAR 2.0 rapidly removes the majority of projection artifact from the deep plexus to simplify image interpretation and produce more reliable quantification
- New segmentation algorithms dramatically improve Bruch's membrane and RPE segmentation for more confident assessment – even in highly diseased eyes
- DualTrac™ Motion Correction Technology with enhanced visualization combines real-time tracking and patented post-processing to enable true 3D correction of distortion in all directions for ultra-precise motion correction

About Us

From the first SD-OCT image generated to our transformative OCTA technology, Optovue technologies provide clinicians with information so new, they demand a different approach to treatment decision algorithms. Optovue's long history of "firsts" demonstrates that innovation is the backbone of our scientific heritage. We committed to furthering OCT image quality, efficiency and clinical applications.

Since our founding 10 years ago, we have installed 15,000 systems around the globe. Headquartered in Fremont, California, we employ a passionate and talented team dedicated to the development, manufacture and sale of OCT and OCTA systems.



2800 Bayview Dr., Fremont, CA 94538 USA

phone +1.510.743.0985

optovue.com

PN 301-54339 Rev. A | Optovue, the Optovue logo, Solix, FullRange, AngioVue, AngioAnalytics, and DualTrac are either trademarks or registered trademarks of Optovue. © 2019 Optovue | Not all products are approved or offered in every market and approved labeling and instructions may vary from one country to another. Contact a local representative for regulatory status and approved labeling.